ELSEVIER Journal of Pure and Applied Algebra 193 (2004) 345

JOURNAL OF PURE AND APPLIED ALGEBRA

www.elsevier.com/locate/jpaa

Author Index Volume 193 (2004)

Adamus, J., Vertical components and flatness of Nash mappings	(1–3)	1–9
Ames, G., L. Cagliero and P. Tirao, The GL-module structure of the Hochschild homology of truncated tensor algebras	(1–3)	11–26
Busé, L., Resultants of determinantal varieties	(1–3)	71–97
Cagliero, L., see G. Ames	(1–3)	11–26
de Bondt, M. and A. van den Essen, Nilpotent symmetric Jacobian matrices and the Jacobian conjecture	(1–3)	61–70
El Baghdadi, S., M. Fontana and G. Picozza, Semistar Dedekind domains	(1–3)	27–60
Fontana, M., see S. El Baghdadi	(1–3)	27–60
Geiß, C. and D. Voigt, Non-reduced automorphism schemes	(1–3)	123–127
Green, D.J., The essential ideal in group cohomology does not square to zero	(1–3)	129–139
Green, E.L., E.N. Marcos, R. Martínez-Villa and P. Zhang, D-Koszul algebras	(1–3)	141–162
Harashita, S., The a-number stratification on the moduli space of supersingular abelian varieties	(1–3)	163–191
Héraoua, M. and A. Salinier, Endomorphisms of the binomial coalgebra	(1–3)	193–230
Hong, J., Rees algebras of conormal modules	(1–3)	231–249
Marcos, E.N., see E.L. Green	(1–3)	141–162
Martínez-Villa, R., see E.L. Green	(1–3)	141–162
Mercier, D.-J., The number of solutions of the equation $\mathrm{Tr}_{\mathbb{F}_{r^s}/\mathbb{F}_r}(f(x)+v.x)=b$ and some applications	(1–3)	251–262
Mori, I., Riemann–Roch like theorem for triangulated categories	(1–3)	263–285
Pérez-Díaz, S. and J.R. Sendra, Computation of the degree of rational surface parametrizations	(1–3)	99–121
Picozza, G., see S. El Baghdadi	(1–3)	27–60
Salinier, A., see M. Héraoua	(1–3)	193–230
Sendra, J.R., see S. Pérez-Díaz	(1–3)	99–121
Tirao, P., see G. Ames	(1–3)	11–26
van den Essen, A., see M. de Bondt	(1–3)	61–70
Voigt, D., see C. Geiß	(1–3)	123–127
Xi, C., On the finitistic dimension conjecture I: related to representation-finite algebrasDedicated to the memory of Sheila Brenner	(1–3)	287–305
Zhang, D., An elementary proof that the length of $X_1^4+X_2^4+X_3^4+X_4^4$ is 4	(1–3)	307–311
Zhang, P., see E.L. Green	(1–3)	141–162
Zunino, M., Yetter–Drinfeld modules for crossed structures	(1–3)	313–343

doi:10.1016/S0022-4049(04)00137-9